

Index

TOPIC/SUBTOPIC	SECTION	TOPIC/SUBTOPIC	SECTION
AAC block masonry	5.21.6	weight	8.10.1, A 8.1
construction technique	5.21.6.4	AC sheets, laying of	8.6, 8.6.8
AAC blocks	5.21	code of practice	8.6 to 8.9
autoclaved	5.21.2.1	end laps	8.6.2
autoclaved aerated concrete	5.21	mitering of corners	8.6.8.5
classification	5.21.3	Roof, pitch	8.6.1.2
manufacturing process	5.21.5	side laps	8.6.3
standard sizes	5.21.4	Activated carbon	11.20.6.4
Abrasives	17.13.6.5	Activated sludge treatment	12.22.4.4
Abutment, backfill placement	4.4.2	Activity	2.3.1.1
AC apron piece	8.7.6	Additive	6.6.1.2
AC barge board or corner piece	8.7.11	Adhesive for plywood	13.9.10
AC building boards	8.10	Adhesive, synthetic (plywood)	13.9.10.3
fixing	8.10.3	Adhesives, closed contact	13.9.10.1
AC cowl type ventilator	8.7.10	Adhesives, gap filling	13.9.10.1
AC eaves filler piece	8.7.7	Adhesives, synthetic	13.9.10.3
AC flat sheets	8.5.3.6, 8.10	Adhesives, white (PVA)	13.9.10.4
AC gutter, boundary wall	8.8.9	Admixtures	6.6
AC gutter, half round	8.8.2	accelerating	6.6.4
drop end	8.8.3	air-entraining	6.6.7
jointing	8.8.14	chemical	6.6.3.1
nozzle	8.8.5	factors affecting performance	6.6.3.3
right angle bends	8.8.7	mineral	6.6.2, 6.4.3.2
stop end	8.8.4	retarding	6.6.5
union clip	8.8.6	superplasticizers	6.6.8
AC gutter, valley	8.8.10	water reducing	6.6.6
AC gutters & fittings	8.8	Aerobic decomposition	12.22.4.3
determination of size	8.8.11-12	Aggregate, coarse	6.3.1.2, 6.3.2
jointing of	8.8.14	crushing strength of	6.3.3.1
support brackets	8.8.13	deleterious materials in	6.3.2.1
AC north light curves	8.7.8	grading of	6.3.2.2
AC rainwater pipes	11.3.3.6, 8.9	hardness, abrasion resistance	6.3.3.2
AC rainwater pipes	8.9.1, 8.9.4	particle shape and texture of	6.3.3.3
bat clamps for fixing	8.9.6	porosity and absorption of	6.3.3.4
fittings	8.9.5	soundness of	6.3.3.5
for roof drainage	7.6.3.1, 12.12.8.4	specifications	6.3.2
jointing of	8.9.7	stacking	2.8.5
thickness	8.9.1, Fig. 8.34	ten percent fines value of	6.3.3.1
AC ridges, laying and fixing	8.7.2 to 8.7.5	Aggregate, fine	5.7
AC rooflight	8.7.12	bulking	5.7.6
AC 'S' type louvers	8.7.9	deleterious substances	5.7.7
AC sheets	8.5	grading	5.7.2
cover efficiency	8.5.5	grading for concrete	5.7.3
cracks in	10.10	grading for mortars	5.7.4
dimensional tolerances	8.5.4	moisture content in	5.7.5, 6.17.8, A 6.2
painting	18.4.7	specifications	5.7.3, 5.7.8
roofing fittings/accessories	8.7	stacking	2.8.5
stacking of	8.11	staurated & surface dry	5.7.5.3

A. Appendix. T Table

TOPIC/SUBTOPIC	SECTION	TOPIC/SUBTOPIC	SECTION
factors affecting	1.1.3.7	Color wheel	18.1.2.2
important towns	1.1.3.5, A 1.1	Commonwealth games stadia	A 8.3, 8.4.6.7
zones in India	1.1.3.1-4	Commonwealth games village	16.11.4.1, Fig. 16.3
Climatic changes	1.10.1.5	Compaction	3.8
Climbers	1.11.7.10, A 1.8	advantages	3.8.1.1
Coagulation	11.20.4	cohesionless soils	3.8.4
Coal tar pitch (specs)	7.6.6.10	cohesive soils	3.8.5
Coarse grained soils (3.3.3)	3.5.2.2, 3.6.2.1	factors influencing	3.8.1.5
compaction procedure	3.8.4	fundamentals of	3.8.1
friction angle	3.7.2.4	of concrete	6.18.9-10
shear strength at failure	3.7.8	Concrete	6.1.1
Coated abrasives	18.7.3.3	28-day cube test	6.16.7, 6.14.7
Coatings	18.1.1.2	admixtures	6.6
Coefficient of cu		code of practice	6.1.3, 6.15.1
Coefficient of curvature	3.2.4.6	compaction	6.18.9
Coefficient of subgrade reaction	3.12.4, 3.1.7.4	core testing	6.16.8
Coefficient of thermal expansion	10.2.2.2	cover for reinforcement	6.26.7
Cohesion	3.1.7.7	creep strain	6.9.13.5, 6.11.2
Cohesionless soils	3.1.7.5, 3.2.1.1	design mix	6.1.4, 6.14
Cohesionless soils	Coarse grained	fluidity	6.8.7
active earth pressure	3.9.3.1	grades of	6.1.3
bearing capacity	3.11.5, A3.4	mix design	Conc. mix design
contact pressure	3.12.6.2	mixing & placing	6.18.9-10
friction angle	T 3.6, 3.7.2.4	modulus of elasticity	6.9.13.4
shear strength	3.7.2	nominal mix	Nominal mix conc.
shear strength, drained	3.7.2.4, 3.7.3	properties	6.7
standard penetration test	3.4.8.5	quantities of materials	6.15.8
undisturbed samples	3.4.6.3	sampling & strength test	6.16.4
Cohesive soils	3.1.7.6, 3.2.1.1	sampling and acceptance	6.16
active earth pressure	3.9.3.5	segregation	Segregation
compaction	3.8.5	setting time	6.16.3.1-4, 6.2.5.3
consistency	3.2.1.1, 3.2.5.1	shrinkage strain	6.11.1
consolidation	3.5.4, 3.6.2.2	testing, acceptance criteria	6.16.5
contact pressure	3.12.6.1	testing, analysis of fresh	6.16.3
grain size analysis	3.2.4.3	testing, frequency of sampling	6.16.4.3
shear strength	3.7.4	underwater	6.19.2
shear strength determination	3.4.10.1	Concrete block	5.20.1
undisturbed sample	3.4.6.4	hollow	5.20.1, 5.20.4
Coil coating, metal sheets	8.12.4.2	masonry	5.20.7
Cold formed steel sections (CFS)	15.4.7	production process	5.20.5
shapes	15.4.7.1, 8.12.7.1	solid	5.20.1, 5.20.3
Cold forming	15.4.6	standard sizes	5.20.2
Cold rolled steel sheets	15.4.5	Concrete floor	Flooring
Cold rolling & finishing	15.4.4	Concrete mix design	6.14
Cold-formed sheet metal profiles	8.12.7, 15.4.6-7	accelerated curing	6.14.7
Coliform organisms	11.19.3.1	characteristic strength	6.13.4
Collapsible gate	15.16	degree of control	6.14.4, 6.13.5-7
Color mixing machine	18.1.2.3	factors considered	6.14.2

A. Appendix. T Table

TOPIC/SUBTOPIC	SECTION	TOPIC/SUBTOPIC	SECTION
cylindrical lock	14.13.12.5	procedure	15.7.3.4
door handle	14.13.13	Oxygen cutting	15.7.3.5
latch for bathrooms	14.13.12.6	Ozone layer depletion	1.10.1.6
night latch	14.13.12.8	Ozone treatment	11.20.8.4
vertical type	14.13.12.3-4	P- & S- traps	12.13.4
Moss, molds, treatment	18.2.3.3	Paint	18.1.1.1
Movement joints	Joints in buildings	application of	18.1.4
MSL, height above, of imp.cities	A 1.1/1-3	composition of	18.1.3
Mudphuska terracing	7.7	decorative	18.5.1.2, 18.1.1.5
Mudsill	6.27.8.1	film, chemistry of	18.1.5
Muntin (14.3.3.1)	14.3.1-2, 14.3.4.1	Indian industry	18.1.1.5
Nails	13.9.11.1	indicative cost	18.1.6.6
National building code	1.6.1	industrial	18.5.1.3, 18.1.1.5
building bye-laws	1.6.1.2	measurements, basis of	18.12, A 18.5
building regulations	1.6.1.2	performance requirements	18.1.4
fire resistance/protection	1.7	plastic emulsion paint	18.3.2.6
landscape planning	1.11	price difference	18.1.6.2
objectives	1.6.1	removal of	18.6.8
water requirement	11.6.3.1, 11.7.2	selection of coating	18.1.6
Nautical mile	A 19.2/2	types of coatings	18.1.7
Neutral pressure	3.6.1.3	Paint roller	18.1.8.3
Newel	9.2.1.7, 9.5.1.2, 9.6.3	Painting	18.1
Newton (unit of force/weight)	19.2.6.8, 19.2.4.1h	AC sheets & boards	18.4.7
Night latch	14.13.11.2	aluminum paint	18.5.7
types	14.13.12.8	anti-fungus treatment	18.2.3.3
Nominal mix concrete	6.1.5, 6.15	bituminous paints	18.5.6.1
proportions of materials	6.15.4	black Japan	18.5.6
common nominal mixes	6.15.3	CGI sheets	18.5.8
estimation of quantity of materials	6.15.8	crossing & laying off	18.3.4.2, 18.5.4.8
rationale for	6.15.1	defects	18.11
suitability for works	6.15.7	drying of plastered surface	18.3.1.1
Non-ferrous metals	15.1.3	enamel paint	18.5.3.5, 18.6.3.3
Normal distribution	6.13.2.4, A 20.4	flattening down	18.5.4.7
Normalizing, steel	15.3.8.2	glazing putty	18.6.4.6
Nosing	9.2.1.8, 9.5.3	putty filling	18.6.3.2, 18.6.4.4
Ochre, yellow/red	18.2.2.4	Painting, exterior	18.4
Odors, control of	1.3.1.2	AC sheets & boards	18.4.7
Oil bound distemper (OBD)	18.3.2.5, 18.3.2.8	acrylic emulsion paints	18.4.2.5, 18.4.5
Optimum moisture content	3.8.2	cement paints	18.4.2.4, 18.4.4
Orientation of buildings	1.2	repainting old walls	18.4.6
desirable	1.2.7	Painting, interior	18.3
objective of	1.2.2-3	cement primer	18.3.2.1, 18.3.3.2
Osmosis	11.21.5.4	crossing & laying off	18.3.4.2
Outfall	12.1.6.6	finish coats, specs	18.3.4
Overflow pipe	11.7.4.5, 7.5.6	oil bound distemper	18.3.2.5
Oxyacetylene gas welding	15.7.3	oil paint, flat	18.3.2.7
equipment	15.7.3.2	old walls	18.3.5
flame	15.7.3.3	putty application	18.3.3.3, 18.3.2.3

A. Appendix. T Table

TOPIC/SUBTOPIC	SECTION	TOPIC/SUBTOPIC	SECTION
Rolling grill	15.14.5	stone ware (SW)	12.5.4.1, 12.6
Rolling shutter	15.14	UPVC pipes	12.9
Roman numerals	19.1.2.5	Sapwood	13.3.2.4
Roof & side covering	8.4.6	Sash	14.8.3, 14.7.1, 14.8.1
AC sheets	8.4.6.1	Sawing methods	13.5.5
aluminum sheets	8.4.6.7	Sawing of timber	Timber
galvalume/zincalume	8.12.5, 8.12.3.1	Scaffold	5.27
GI sheets, color coated	8.4.6.2, 8.12.6-7	bracing	5.27.6
polycarbonate	8.4.6.5, 21.10	double pole	5.27.5
stainless steel sheets	8.4.6.6	materials	5.27.2.2
Roof, drainage	12.12.8, 7.6.3.1	outrigger	5.27.10
concrete grading	7.9.5.2	safety requirements	5.27.12
Rainwater pipe	12.12.8.4	single pole	5.27.4
Roof, flat	8.1.3, 8.2	suspension	5.27.11
Roof, functional requirements	8.1.1	technical terms	5.27.3
Roof, Lean-to (roof)	8.4.1.1a	tying	5.27.7
Roof, metal sheet	8.12, 8.3.1.1	Scotia	9.2.1.11, 9.5.2
Roof, north light	8.4.1.1 (e)	Screed board	17.1.2.4
Roof, pitched	8.1.4, 8.4	Screed strips	17.1.2.4
Roof, shell & folded plate	Shell roof	Screed vibration	17.3.5
Roof, slope for drainage	7.6.3, 12.12.8.3	Screws	13.9.11.3
Roof, truss	Truss, roof	Screws, slotted countersunk head	B. 125
Ropes	5.27.8	Screws, wood	B. 44
Rough cast plaster	16.7	Scum	12.1.6.7
Ruling gradient of sewer	12.4.8	Sea water	5.8.6
Saddle clamp	11.2.2.3	Sealant, joints	10.12.3.3, 24.12.7
Safety fuse	A4.2.2.5	Sealing ring	12.9.7.1
Sal wood	13.8.13	Seasoning of timber	13.7.1
Sand (see aggregate, fine)	3.1.6.2, 5.7	permissible moisture content	13.4.2.5, A 13.2
Sand for plaster	16.2.2.3	Seasoning, air	13.7.3
Sandpaper guide	18.7.3.3-5	Seasoning, kiln	13.7.4
sanding technique	18.7.3.7	Sedimentary stones	5.22.5
Sandstone	5.22.5	Sedimentation	11.20.5
Sanitary appliances	12.15.1	Seepage pressure	3.5.1.2
glazed fire-clay	12.15.4, T 17.3	Segregation of concrete	6.7.2.18, 6.8.2.1
vitreous chinaware	12.15.3, 17.9.3.6	placing	6.18.8.1, 6.18.2.5
WC trap outlet position	12.15.2	Seismic design of building	5.26
Sanitary pipes	12.5	essential safety elements	5.26.3
asbestos cement (AC)	12.5.4.5	horizontal seismic bands	5.26.5
cast iron (CI)	12.5.4.3, 12.8	vertical reinforcement	5.26.6
choice of material	12.5.6, T 12.6	Self-cleansing velocity	12.4.6.1
ductile iron (DI)	12.5.4.4	Self-drilling fastener	8.12.8.3
guide lines for execution	12.2.9	Self-siphonage	12.2.7.2
HDPE	12.11	Septic tank	12.23
plastic	12.9, 12.10, 12.11	construction	12.23.7
PVC-U	12.10	limitations	12.23.4
RCC Pipe	12.5.4.2, 12.7	size	12.23.6
socket & spigot arrangement	12.5.3.1	working principle	12.23.2

A. Appendix. T Table